




FIGURE 3







		TOTAL	-		X D		110			
end		ut Help		Delete this Hierarchy	Station - Adii/ Fali: Na			Bay Area DMA Bay Area DMA No Node Type	[]	
+ Bed * + + * O D D O Search Elevatives O D D D D D D D D D D D D D D D D D D		🖁 Generate DTDs 📗 Logopt Help	s Admin		menterprise Business Station - Add/Edit Node	Add/Edit Node		Node name in table Node display name: Node type:	Save No. (Canoelo)	
History 20 See L	, , , , , , , , , , , , , , , , , , ,		Types Data Rule	Location Options Node Types View Hierarchy Copy Hierarchy	chy Add a	Ļ		DMA	Extract.	
arch (** Favorites (**	Location. Jsp	Station	Location Category Content Types Data Rules Admin	Location Options GO View Hierarchy	Rename	Node: Advertizing	Edit this node Move this node Delete	Edit Delete Node Name \$\alpha \times		
95 (P) (B) (B)	Address 😰 http://locke.cellmania.com/jsp/Location.jsp	mEnterprise Business Station	uniteor	7						
† Back • ↓	Address (2) http://k	mEnterpri		Select a location hierarchy: Advertizing Hierarchy		Advertizing Hierarchy			100	· !





	John Location in John	AND THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.			* \$	
mEnterprise Busines	usiness Station		\$ Gene	ि Generate ऐTDडे Logout Halp		
		Content Types	pes Data Rules Admin	<u>u</u>		
ı hierarchy:		ation Option	Lecation Options Mode Types			
USPS Hierarchy	© 00	View Hierarchy	hy Copy Hierarchy	Delete this Hierarchy		
	R	Rename Hierarchy	rarchy Add a Hierarchy			
USPS Hierarchy	Node: CA				2	
E P USA	Edit this node	Move this	Edit this node Move this node Delete this node			
E AE	Fidit	College Model Hama				
-			NORTHCREST			
	•	_	NORTHRIDGE			
- A	8		NORTHSTAR		[7"+"] E.D.	
⊕ AS	5	⊗ NORWALK	VALK			
⊕ AZ	8	⊗ NOVATO	ATO .		\$3.5°	
⊕ CA	8	NOYO SO			74.74 7.84 7.84 7.84 7.84 7.84 7.84 7.84	
⊕ CA(10 - AS)	9		SBER		723	
S CA(AI - OL)	Ø	⊗ NUEVO	Q			
E CAICA - CE	8	⊗ NUT TREE	REE			
स क CA(CE - CO)	Ø	O NEALS	ALS			
📑 🗗 * CA(CR - DU)	Ø	⊗ OAK GLEN	SLEN			
⊕ © CA(DU · FE)	8	⊗ OAK G	DAK GROVE			
(F) (A(FE - G)) (A)	Š	S OAKHILLS	#LLS		e e e e e e e e e e e e e e e e e e e	
(Gel.H)	⊗	⊗ OAK PARK	ARK			
E S CA(RI - RE)	8	OAK RUN	SUN		~~	
CA(LE - MA)	8	OAK VIEW	/IEW		37	
E CA(MA - MO)	⊗	OAKDALE	ALE			
E № CA(MO - NO)	8	OAKHURST	URST		, CC F	
H NORTHCREST	⊗	OAKLAND	QNY		CT	
	Q				***	



A. L. P			FIGURE 10
名 infiniterprise Business Station - Define Content - Microsoft Internet Explorer provided by Artest Worldhet Service 上口 A 世 Bett ・ サ・・ 〇 (日) 〇 (A Search Exflavortes Officion 3/1 日・当・ 当 日 (A Maries) Madeis 日 (A Maries) 日 (A Maries)	Menterprise Business Station Location Content Types Data Rules Admin	Schema Definition: Content Table, InMemory Enter a name for the new content type[2] Retail Product Enter a name for this table Retail Product Enter a description for this table Retail Products Field Name Content Id Forduct Name String 132 C Content Id Skru Skru Price Ring 132 C Content Id Price Ring 132 C C Content Id Price Ring 132 C C Content Id Skru Price Ring 132 C C Content Id Price Ring 132 C C Content Id Skru String 132 C C C Content Id Find Ring 132 C C C C CONTENT ID String 132 C C C C C C C C C C C C C C C C C C C	







### Part Part	🚰 mEnterprise Business Station - Define Content - Microsoft Internet Explorer provided by AT&T WorldNet Serv. 🕒	ontent - Microsoft Int	ernet ex	o lator	ovidedib	Breef World		X
### Interprise Business Station Location Content types Electrophy Content types Add Relationships	中Back - サ・② 自 ① Qisear	th 😰 Favorites 🔇 Hi	story:	对 B·		8 C	Send	()
Content types: Content Type Content Types Data Rules Admin	Address 🔁 http://locke.celimana.com/jsp/Del	fineContent.jsp			Œ	केछ्े ∏्हांब	SA *	*
Content type: Content type	mEnterprise Business S	tation			Gene	iafe DTDs: Logo	ut Help	
Add Relationships Add Relationships Add Relationships Add Relationships Add Relationship Inationship Name[2]: ProductToStore Inationship Table Name[2]: ProductToStore Inmany Content Type MetallStore Inmany Column Name for Primany Content Type RetailStore Inmany Column Name for Related Contend Type RetailStore Inmany Column Name for Related Contend Type RetailStore Interest Name[2]	Locat	Category Content Ty ent Type Onlines Con	pes D	ata Ru	les Adm	[<u>.</u>		
Add Content to Related Content Idationship Name[2]: ProductToStore Idationship Description: Store Level Product Inventory Idationship Table Name[2]: ProductToStore Imany Column Vame for Primary Columns: Imany Column Name for Primary Content Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Related Contend Type RetailStore Inventory: Imany Column Name for Primary Column Name for Pr	(ဝ)	w. Edit, Delete Relati	onships			and services		
ProductToStore ProductToStore ProductToStore ProductToStore ProductToStore ProductToStore Store Level ProductInventory Intent Type RetailStore RetailStore ProductToStore ProductToStore ProductToStore ProductToStore ProductToStore ProductToStore RetailStore ProductToStore Pr	Ad	d <u>Relationship</u>						
lationship Name 2: Product ToStore lationship Description: Store Level Product Inventory Intent Iype Mapped To: Retail Store Intent Iype Mappe	Add Content to Related Conter	ıt				A A A A A A A A A A A A A A A A A A A		
Inventory Store Level Product Inventory		ToStore	!					578.78
Intent Type Mapped To: RetailStore Intent Column Name for Pirmary Columns: Intent Column Name for Related Content Type RetailStore Intent Attributes: Intent Intent Attributes: Intent Intent Mapped To: RetailStore Intent Intent Mapped To: RetailStore Intent Intent Mapped To: RetailStore		evel Product Inventory						(2)63
Inventory Inventory Inventory Internal Type Mapped To: RetailStore Internal Column Name for Related Content Type RetailStore Inventory Inventory Integer Intege	Relationship Table Name 1: Product	ToStare	F					
rimary Column Name for Related Content Type RetailStore Imary Column Name for Related Contend Type RetailStore Column Name for Related Name f	T0:	oduct rre						32.634
Imary Column Name for Primary Content Type RetailStore Imary Column Name for Related Content Type RetailStore Content of the Field Hame 2	Relationship Table's Primary Column	ö						建
Inventory Integer	Primary Column Name for Primary Cont	tent Type RetailProd	nct		NAME OF TAXABLE PARTY.			171
Inventory Integer	Primary Column Name for Related Cont	end Type RetailStore	_				19(
Ode Field Name(2) Data Type Length Rag(2) Froum Index Inventory Integer (2) (2) (2) Istring (3) (2) (3)	Extended Attributes:							W.
Inventory Integer	Include Field Name		Enum Flag ?	Index Flag R	Description			গ্রুতি ১৮ বংল
String String T	· · · · · · · · · · · · · · · · · · ·	Integer 🔀	E	ᆫ				
		string 💌	П					
			L	Ľ		or per very management of the	Cont. Commence of the Commence of the	Þ

FIGURE 14





FIGURE 15

2. Instructorists business Station Lontent - Microsoft Internet Explorer provided by AT&T WorldNet Service こ面 本 中Bot マーサー・(名 図 AT AT A Search Tallesvortes	XIII
K	
mEnterprise Business Station	
Locat	
Select a Content Type: Pata Select a Content Type: Data Options Select a Content Type: New Records Hide/Show Fields	
Edit Record # 26961	
StöreName: Palo Alto	· and the second se
3123	~ *** [***
Time the state of	
Relationships: Edity:	
S Carroel Sasaves	
210	FIGURE 16
	<u></u>
② Dode	

Manager and the second
Semannal Samannal Color Category Content Types Data Rules Admin
26967 Samsung DVD 2345 Cotton Cotton Types Data Rules Admin
Samsung DVD 2345 Sat Up Rules Sat up Rules Samsung DVD 2345 Samsung DVD 2345 Sat up Rules Sat up
#26967 Samsung DVD 2345 Samsung DVD 2345 Signature
#26967 Samsung DVD 2345 S2345 float rulemain(float ListPrice) { string city; city = SessionGetStringValue("City"); if (city == "New York" city == "Maul") return(1.10 * ListPrice); else return(ListPrice); Check this rule
Samsung DVD 2345 S2345 float rulemain(float ListPrice) (string city; city = SessionGetStringValue("City"); if (city == "New York" city =="Maul") return(1.10 * ListPrice); cleek this rule
Samsung DVD 2345 S2345 float rulemain(float ListPrice) { string city; city = SessionGetStringValue("City"); if (city == "New York" city == "Maui") return(1.10 * ListPrice); clear return(ListPrice); Check this rule Samsung
S2345 float rulemain(float ListPrice) { string city; city = SessionGetStringValue("City"); if (city == "New York" city =="Maul") return(1.10 * ListPrice) else return(ListPrice); Check this rule Samaund
float rulemain(float ListPrice) { string city; city = SessionGetStringValue("City"); if (city == "New York" city == "Maul"); else return(listPrice); Check this rule Sameing
city = SessionGetStringValue("City"); if (city == "New York" city == "Mauı") return(1.10 * ListPrice else return(ListPrice); Check this rule Samsung
else return(listPrice); Check this rule Samsund
Check this rule
Samering
_
Relationships: <u>Edit:</u>

法語的 一	## ** 4X]	
Institutes Station Usiness Station Location Category Content Types Data Admin Data options Search View Records Hide/Show Fields Add Record Set Up Rules		
Usiness Station Location Category Content Types Data Rules Data Options Search View Records Hide/Show Fields Add Record Set Up Rules		
Location Category Content Types Data Ruin Data Options Search Yilew Records Hide/Show Fields Add Record Set Up Ruies	Help	
Data options Search		
☑ ☑ View Records Hide/Show Fields Add Record Set Up Rules		
A american cooks, offered a		
Location Relationships:		
Add a new Location Relationship		
【Lhoose Location - Microsoft Internet Explorer.p. [时间]汉		
Map to Location Node	and the second s	
Select a Location node by searching for it within	tanun sainta (j. 1874)	
d metarchy.		
~		
For node Northern CA Search Searc		
	230 FI	FIGURE 18
⑥ Northern CA DC(Northern CA DC) Selverian [Carcel A]	- 27 GAEAY	
	Anti-	








	FIGURE 21
② menterprise Business Station - Rules - Microsoft Internet Explorer provided by AT&T WorldNet Service 上口自文 1985	Add Rule: Step 1 of 6 C Content © Content-to-Content Relationship

***	Ŷ.	Help					270 FIGURE 22	
② Infiniterprise Business Station - Rules - Microsoft Internet Explorer provided by ATR1 MoridNet Scrator - 一番目前 X 中Back かみん (3) (3) (4) (3) Seath (国 Payorite) などけらか。 3 日本 (3) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		টুওলটামিটিতা Logout I Help mes Data Brilles Admin		The state of the s				in therees
Station - Rules - Microsoft Internet Exp 2	ellmanıa.com/jsp/Rules.jsp	mEnterprise Business Station	Rule Options View, Edit, Delete Rules Add New Rule		Provide a name for your rule[2]: RetailPromotions Select Relationship to create rule for: RetailStore to RetailProduct ProductToStore	TAX IXANIA		
② mEnterprise Business ← Back → → 、 (&	Address (http://locke.cellmania.com/jsp/Rules.jsp	menterprise		Add Rule: Step 2 of 6	Provide a name for your rule[2]: RetailPromotions Select Relationship to create rule for: RetailStore to RetailProduct ProductTo	Sections Sance Section Sectin Section Section Section Section Section Section Section Section	s y oy Markham brash	(g)


Machine Properties Proper	The state of the s	
Consist of Station Category Content Types Data Rufe Admin		
Strongton Category Content Types Date Rules Admin		
Style Options Style Options	Content Types Data	
Add New Rule Add New Rule	Rule Options \\ \text{View, Edit, Delete Rules}	
Relationship RetailProduct Field Names Field Hames Field Names Fie	Add New Rule	
RetailProduct Location Field Names Field Name Fields Fi	Select fields from the table(s) to use in your rule:	
me l' RetailStore l' ProductName l' Inmentory l' SKU l' Inventory l' SKU l' Inventory l' SKU l' Inde_name pe l' Inventory l' SKU l' Inde_name pe l' Inventory l' SKU l' Inde_name pratch Fields: Charleogh string l' Instructory l' l' Instructo	Relationship RetailProduct Field Names	
Pee Figure	in Retailstore Throughouse	
Cratch Fields: Chartength String Stri	図 Price 「Manufacturer 「TListPrice	
string st	280	JRE 23
string	String String	
cratch columns	String	
	cratch columns	





中Back - サーの [2] A Searth 国Favorites Shitton 国际 会員 マ Stand The Back - サー
Address 包 http://locke.cellmanna.com/jsp/Rules.jsp
Generalise Business Station
Location Category Content Types Data Rules Admin
Rue Options 12
View Edit Delete Rules
Abork this rule
Add another pre-query rule
Post-query rules: Pass Run Order Onder Rule Name Rule
1 Promotions void rulemein (handle row) {
dn = RowGetStringValue (row, "node name"); dh = RowGetStringValue (row, "hierarchy name");
Check this rule
Check this rule

FIGURE 26






FIGURE 28